

# INNOOPTIC

## Технические характеристики

### По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231	Казань (843)206-01-48	Новокузнецк (3843)20-46-81	Смоленск (4812)29-41-54
Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Новосибирск (383)227-86-73	Сочи (862)225-72-31
Астрахань (8512)99-46-04	Калуга (4842)92-23-67	Омск (3812)21-46-40	Ставрополь (8652)20-65-13
Барнаул (3852)73-04-60	Кемерово (3842)65-04-62	Орел (4862)44-53-42	Сургут (3462)77-98-35
Белгород (4722)40-23-64	Киров (8332)68-02-04	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Брянск (4832)59-03-52	Краснодар (861)203-40-90	Пенза (8412)22-31-16	Томск (3822)98-41-53
Владивосток (423)249-28-31	Красноярск (391)204-63-61	Пермь (342)205-81-47	Тула (4872)74-02-29
Волгоград (844)278-03-48	Курск (4712)77-13-04	Ростов-на-Дону (863)308-18-15	Тюмень (3452)66-21-18
Вологда (8172)26-41-59	Липецк (4742)52-20-81	Рязань (4912)46-61-64	Ульяновск (8422)24-23-59
Воронеж (473)204-51-73	Магнитогорск (3519)55-03-13	Самара (846)206-03-16	Уфа (347)229-48-12
Екатеринбург (343)384-55-89	Москва (495)268-04-70	Санкт-Петербург (812)309-46-40	Хабаровск (4212)92-98-04
Иваново (4932)77-34-06	Мурманск (8152)59-64-93	Саратов (845)249-38-78	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Набережные Челны (8552)20-53-41	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Иркутск (395)279-98-46	Нижний Новгород (831)429-08-12	Симферополь (3652)67-13-56	Ярославль (4852)69-52-93
Россия (495)268-04-70	Киргизия (996)312-96-26-47	Казахстан (7172)727-132	



---

## Rusan quick release adapter for Sytong

**Order number:** Z01-99-RS-AD-430

**Description**

Rusan-Schnellverschlussadapter für Sytong für Sytong auf Okulare wahlweise mit: - Ø 40,5 mm...

**Rusan quick release adapter for Sytong**

for Sytong on eyepieces optionally with:

- Ø 40.5 mm - 43.0 mm
- Ø 43.0 mm - 45.5 mm
- Ø 45.5 mm - 47.0 mm



## 1 Stk. Li-Ion AKKU Typ 18650 3500mAh für IR-Stahler

**Order number:** Z01-99-PS-AK

### Description

1 Stk. Li-Ion AKKU Typ 18650 3500mAh für IR-Stahler Passend für den IR-Strahler

**1 Stk. Li-Ion AKKU Typ 18650 3500mAh für IR-Stahler**

Passend für den IR-Strahler



---

## Universal quick adapter

**Order number:** Z01-99-SY-AD-360

**Description**  
Universal - Schnell - Adapter für Okulare mit Durchmesser 36 mm - 46,5 mm

**Universal quick adapter**

for eyepieces with a diameter of 36 mm - 46.5 mm



---

## IR emitter Gen 2

**Order number:** Z01-99-SY-IR-850

**Description**  
IR-Strahler Gen 2 mit 850 oder 940 nm IR-Aufheller Maximtac – eine fokussierbare...

### IR emitter Gen 2 with 850 or 940 nm

IR illuminator Maximtac - a focusable hunting lamp, extra quiet end switch, which was specially developed for night hunting. Best suited for Sytong, Pard and other digital night vision devices.

Maximtac IR-850 or 940 Gen 2 has 3 light levels, is equipped with a silent limit switch and can be focused.

- Memory function - lamp turns on in the same level that was preselected before turning off.
- Round light spot - Better fits the field of view of a rifle scope
- No grid effect at full focus

Note: No battery is included in the scope of delivery.



---

## Quick assembly adjustable for IR emitters

**Order number:** Z01-99-SY-AD-IR

**Description**  
Justierbare Taschenlampen-Schnell-Montage Gen 2 für Taschenlampen mit 24-26 mm...

### **Adjustable flashlight quick mount Gen 2 for flashlights with a housing diameter of 24-26 mm with quick lever**

Weatherproof coated aluminum construction. The ideal solution for night vision devices!

The flashlight or IR illuminator can be freely aligned within the field of vision for optimal illumination of the field of vision in all directions thanks to an insert ring that is round on the outside. This bracket can be mounted on the Weaver or Picatinny rail. Many night vision devices have a Picatinny mount.

- Bulletproof
- Adjustable in all directions
- Inner ring diameter 24 mm - 26 mm

No tools are required for assembly.



---

## Sytong HT-770 with LRF

**Order number:** Z01-SY-01-12-000-LRF

**Description**

Sytong HT-770 LRF mit Laser-Entfernungsmesser mit 12 oder 16 mm Linse Sytong HT-770 LRF, das...

### **Sytong HT-770 LRF with laser range finder with 12 or 16 mm lens**

Sytong HT-770 LRF, the latest dual-use add-on device without built-in infrared illuminator! - Therefore permitted in all federal states in the Federal Republic of Germany, and it may be mounted on a telescopic sight with a valid hunting license.

#### **Technical data:**

- The device is equipped with a Full HD Sony sensor, last generation - the image has become much sharper and much clearer day and night!
- Integrated laser range finder (LRF) with a range of up to 600m distance with an accuracy of +/- 1m. (LRF can only be used at night or at dusk)
- Absolutely weatherproof according to IPX6
- In addition to black and white, a new greenish-colored night vision mode has been added; it is used to relieve your eyes at night
- Higher display resolution OLED-HD 1280 x 960 px
- Lateral focus adjustment
- Despite the technical upgrade, the Sytong HT-770 is still up to 6000 joules bulletproof Scope of

#### **delivery:** Sytong

HT-770 with LRF, storage bag, USB charging cable and mains plug, 1 pc. 18650 Li-Ion battery, compensation tape for eyepiece, Allen key, cleaning cloth



---

## Sytong HT-770

**Order number:** Z01-SY-01-12-000-000

**Description**  
Sytong HT-770 mit 12 oder 16 mm Linse Sytong HT-770, das neuste Dual-Use-Nachtsatzgerät ohne...

### Sytong HT-770 with 12 or 16 mm lens

Sytong HT-770, the latest dual-use add-on device without built-in infrared emitter! - Therefore permitted in all federal states in the Federal Republic of Germany, and it may be mounted on a telescopic sight with a valid hunting license.

#### Technical data:

- The device is equipped with a Full HD Sony sensor, last generation - the image has become much sharper and much clearer day and night!
- 2 rails for additional spotlights available
- Absolutely weatherproof according to IPX6
- In addition to black and white, the HT-77 also has a greenish night vision mode, which is used to relieve your eyes at night
- Higher display resolution OLED-HD 1280 x 960 px
- Lateral focus adjustment
- Despite the technical upgrade, the Sytong HT-770 is still bulletproof up to 6000 joules

Please note that you must also use an IR emitter in the dark.  
Lamp holder is not included and must be ordered separately.

Maximtac IR-850 nm has an enormous range and can address game clearly up to 300 m; the 850 nm emitter is hardly perceptible to wild boar, red deer and certain types of predatory game can perceive the emitter under certain conditions. Maximtac IR-940 nm is considered 100% wildlife safe but can provide an acceptable image up to approximately 150 m.

#### Scope of delivery:

Sytong HT-770, storage bag, USB charging cable and power plug, 1 pc. 18650 Li-Ion battery, compensation tape for eyepiece, Allen key, cleaning cloth





---

## Sytong HT-770 with IR emitter

**Order number:** Z01-SY-01-12-850-000

**Description**  
Sytong HT-770 mit IR-Strahler erhältlich mit 850 oder 940 nm und mit 12 oder 16 mm Linse...

### **Sytong HT-770 with IR emitter available with 850 or 940 nm and with 12 or 16 mm lens**

Which IR emitter is right for me and what are the differences?

IR emitter 850nm: has an enormous range and can address game clearly up to 220m; the 850nm emitter is hardly perceptible to wild boar, red deer and certain types of predatory game can perceive the emitter under certain conditions.

IR emitter 940nm: is considered 100% safe from wildlife, but can only provide an acceptable image up to approx. 120 m.

### **Technical data:**

- The device is equipped with a Full HD Sony sensor, last generation - the image has become much sharper and much clearer day and night!
- Rail available for additional spotlights - Absolutely weatherproof according to IPX6
- In addition to black and white, the device also has a greenish night vision mode, which is used to relieve your eyes at night
- Display resolution OLED-HD 1280 x 960 px
- Lateral focus adjustment
- Despite the technical upgrade, the Sytong HT-770 is still up to 6000 joules bulletproof

The device is light (only 290 g) and handy, operated with a replaceable 18650 Li-Ion battery and provided with a menu in German, this night vision device is your good friend for all outdoor activities in the dark, ideal not only for hunters and nature observers. Thanks to the integrated photo and video recorder, you can document your nightly observations and save them on the micro SD card (32 GB) or transfer them to your mobile phone (via WiFi).

**По вопросам продаж и поддержки обращайтесь:**

Алматы (7273)495-231  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89  
Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Россия (495)268-04-70

Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Липецк (4742)52-20-81  
Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Пермь (342)205-81-47  
Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Симферополь (3652)67-13-56  
Казахстан (7172)727-132

Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Тверь (4822)63-31-35  
Томск (3822)98-41-53  
Тула (4872)74-02-29  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Ярославль (4852)69-52-93